

## Specification Sheet

Part Number: 151-00982



**Article Number**

151-00982

**Type**

MSC2

**Color**

Metal (ML)

**Features & Benefits**

- Integrated design allows for easy insertion by hand.
- 1–3mm panel thickness range allows for multiple applications.
- Double-compression design can accommodate up to 2 wires or cables of varying sizes.
- Presents a high extraction force for withstanding extreme conditions.

**Quantity Per**

bag

<b>Product Description</b>	HellermannTyton's Heavy Duty Metal Edge Clip provides an excellent alternative to managing up to 2 wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, the Heavy Duty Edge Clip has a high extraction force that tolerates extreme environments and provides assurance that the cables are secure on a panel. This Metal Edge Clip is simple to install and can easily be removed with a flathead screwdriver.
<b>Short Description</b>	Heavy Duty Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 100/bag
<b>Global Part Name</b>	MSC2-SS304-SR
<b>Length L (Imperial)</b>	0.95
<b>Length L (Metric)</b>	24.1
<b>Width W (Imperial)</b>	0.50
<b>Width W (Metric)</b>	13.0
<b>Panel Thickness Min (Imperial)</b>	0.04
<b>Panel Thickness Max (Imperial)</b>	0.12
<b>Panel Thickness Min (Metric)</b>	1.0
<b>Panel Thickness Max (Metric)</b>	3.0
<b>Material</b>	Stainless Steel (SS304)

<b>Material Shortcut</b>	SS304
<b>Flammability</b>	Non-Burning
<b>Halogen Free</b>	No
<b>Operating Temperature</b>	-112°F to +1000°F (-80°C to +538°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes
<b>Package Quantity (Imperial)</b>	100
<b>Package Quantity (Metric)</b>	100
<b>Customs Number</b>	7326908695
<b>Weight (Metric)</b>	0.00409
<b>Weight (Imperial)</b>	0.00901